

Jonesboro Historic Preservation Commission **1859 CITY CENTER WAY** February 19, 2024 - 5:30 PM

Agenda

NOTE: As set forth in the Americans with Disabilities Act of 1990, the City of Jonesboro will assist citizens with special needs given proper notice to participate in any open meetings of the City of Jonesboro. Please contact the City Clerk's Office via telephone (770-478-3800) should you need assistance.

- I. **CALL TO ORDER** – Chairperson Betsy Wester
- II. APPROVAL OF AGENDA
- III. APPROVAL OF MINUTES
- IV. **OLD BUSINESS - NONE**
- V. **NEW BUSINESS - ACTION ITEMS**
 - 1. Historic Preservation Commission to consider a Certificate of Appropriateness for Residence 121 South Avenue; Parcel No. 05241D E027; New residence in Historic Residential Overlay.
- VI. **ADJOURNMENT**





CITY OF JONESBORO, GEORGIA COUNCIL Agenda Item Summary

Agenda Item #

_ 1

February 19, 2024

Requesting Agency (Initiator)

Sponsor(s)

Office of the City Manager

Community Development Director Allen

Requested Action (Identify appropriate Action or Motion, purpose, cost, timeframe, etc.)

Historic Preservation Commission to consider a Certificate of Appropriateness for Residence – 121 South Avenue; Parcel No. 05241D E027; New residence in Historic Residential Overlay.

Requirement for Board Action (Cite specific Council policy, statute or code requirement)

Section 86-111. Historic Residential Overlay Standards; Sec. 86-97. R-2 Single Family Residential Regulations

Is this Item Goal Related? (If yes, describe how this action meets the specific Board Focus Area or Goal)

Yes

Beautification, Community Planning, Neighborhood and Business Revitalization, Historic Preservation

Summary & Background

(First sentence includes Agency recommendation. Provide an executive summary of the action that gives an overview of the relevant details for the item.)

Agency recommendation – **Approval of house exterior design, with conditions**; The original house burned down and the remains were demolished in 2010. The new owner would now like to put up a replacement home, similar in style to the original home.

The replacement home will be a one-story structure with an exterior consisting of primarily Hardiplank siding. Exterior color is proposed to be a pale blue – "Blue Arrow, 5001-3C" or, if that is not acceptable, an off white.

The property is in the Historic Residential Overlay, subject to the requirements of Sec. 86-111.

(a) Purpose. The purpose of the historic residential overlay is to protect and enhance the character of the city's historic neighborhoods by establishing architectural standards for regulation of exterior rehabilitation and new construction. The City of Jonesboro is committed to preserving its historic structures and the special character of the historic neighborhoods. These neighborhoods reflect a variety of architectural styles that have contributed to the city's historic built environment.

Historic Residential Overlay standards:

- (2) New construction. New buildings shall be compatible with surrounding historic structures and shall contribute to the character to the area. Prevalent architectural styles in the overlay shall guide new development. (See article VII, Architectural style and scale for guidance on specific historic styles and building materials traditionally found in Jonesboro.) The home will be similar in style to the original home and other homes in the immediate area.
- a. Scale and form.
- 1. New buildings shall be compatible with the existing scale, form and placement of nearby historic homes in terms of foundation and story heights, roof height, shape and pitch, number of stories, width, depth and building setback. The home will be similar in style to the original home.
- 2. The maximum heated floor area of infill development shall not exceed 150 percent of the average heated floor area of single-family detached dwellings located on the same street for a distance of 600 feet in either direction. Total square footage (heated plus garage) of the replacement home will be 2345 square feet. Average area of existing houses within 600 feet is 2007 square feet. 2345 / 2007 = 116% larger.
- 3. The maximum building height for infill development shall be determined by the maximum building height of single family detached dwellings located on the same street for a distance of 600 feet in either direction. The proposed house is one-story on a street with primarily one-story houses.

	FOLLOW-UP APPROVAL ACTION (City Clerk)			
Typed Name and Title	Date			
Melissa Brooks, City Clerk	February, 19, 2024			
Signature	City Clerk's Office			
			Packet Pg. 2	

- b. Materials and color.
- 1. The predominant exterior siding material, or a modern material that creates a similar texture or appearance, shall be used. Hardiplank siding proposed.
- 2. The use of brick is encouraged for chimneys. No chimney proposed.
- 3. Prohibited exterior materials include synthetic materials with a false wood grain, vinyl siding, brick veneer, concrete block, and the use of materials that do not complement the architectural or historic style of the structure. Hardiplank siding proposed. However, a concrete block foundation is proposed, which is not allowed.
- 4. Brick and paint colors shall be compatible with the style of the structure and with surrounding historic structures. Pale blue or off white proposed.
- 5. Neon colors are prohibited. Not used
- 6. Primary colors may be acceptable for trim or accents pending review and approval by the director of downtown development.
- c. Doors and windows.
- 1. Window and door placement, shape, and dimensions shall be compatible with the pattern on nearby historic structures. Similar in style to the original home and other homes in the immediate area.
- 2. Blank wall facades are discouraged.

Sec. 86-97. - R-2 single family residential district regulations.

- (a) Purpose. The R-2 single family residential district is established to provide for single family detached dwellings on individual lots having a minimum area of one-half acre. The district is intended to create and preserve a neighborhood setting free of non-residential uses as well as higher density residential uses. Public and institutional uses traditionally found in low density neighborhoods are compatible with the R-2 district. Such development is typically served by a network of local streets to minimize traffic impacts on the neighborhood.
- (b) Development standards. Unless otherwise provided in this chapter, uses permitted in the R-2 district shall conform to the following development standards:
 - (1) Minimum lot area: 21,780 square feet (½-acre) Grandfathered lot is 0.43 acres.
 - (2) Minimum lot width: 100 feet Complies
 - (3) Minimum front yard: 35 feet
 - (4) Minimum side yard: 15 feet
 - (5) Minimum rear yard: 35 feet
 - (6) Minimum floor area per dwelling unit: 1,600 square feet 1953 square feet proposed.
 - (7) Maximum building height: Two stories and 35 feet One-story
 - (8) Maximum lot coverage: 35 percent

The home will be similar in style to the original home and other homes in the immediate area. However, the proposed concrete block foundation needs to be, at the very least, a brick or stone veneer of full-depth masonry.

Design Review Commission recommendation, 2.7.24: They liked the blue color for the siding; The concrete block needs to be covered with a stone or masonry veneer; House needs to have good decorative lighting and landscaping around the foundation. Driveway must be paved with concrete

Is this on a crawlspace? How does that work with the side garage? Is the garage for vehicles or just storage? One vehicle or two?

Fiscal Impact	(Include projected cost, approved budget amount and account number, source of funds, and any future funding requirements.)		
Private Owner			
Exhibits Attached (Provide copies of originals, number exhibits consecutively, and label all exhibits in the upper right corner.)			

• Lot 5.1

- Adjacent Neighborhood
- Front Elevation
- Other Sides
- Proposed Colors
- Permit Application
- Original House
- Demo
- Meeting Notice Letter

Staff Recommendation (Type Name, Title, Agency and Phone)


Approval with Conditions


Attachment: Lot (3710: 121 South Avenue - New Home)

Google Maps 121 South Ave











Google Maps 115 South Ave





Packet Pg. 7

Attachment: Adjacent Neighborhood (3710: 121 South Avenue - New Home)

Google Maps 123 South Ave




Image capture: Feb 2023 @ 2024 Google



bloma the

Packet Pg. 8

123 South Ave - Google Maps


Attachment: Adjacent Neighborhood (3710: 121 South Avenue - New Home)

123 South Ave - Google Maps

Google Maps 123 South Ave





Image capture: Feb 2023 © 2024 Google




enview Dr

Packet Pg. 9








Attachment: Proposed Colors (3710:121 South Avenue - New Home)

Valspar



while windows stade

Packet Pg. 14



Email Address



City of Jonesboro

marioro

124 North Avenue Jonesboro, GA 30236 (770) 478-3800 e Fax (770) 478-3775

Building Permit Application

Minimum Fee \$100.00

BL#	County	
Date		

Permit No. Application is hereby made according to the laws and ordinances of Jonesboro for a permit to erect, alter, and/or use a structure as described herein or shown in accompanying plans and specifications, to be located as shown on plot plan and, if granted, will conform

to all laws and Oldinalices led	lulating same.		The state of well Colling	
Address 121 South	ave	Project/Subdivision.		
city Lone's boro	State GA Zip 30234	LL: District: F.4	2oning:	
Lot F: D:		Lot: Block:	Plan#	
Purpose of Permit: New Remodel Demolition	Demolition - Repair Demolish Other	Describe Use of Construction	Size of Structure	
	Commercial Industrial Sign-Free Swimming Pool		Simple D Condo	
Foundation: Slab Crawl Space Basement	Hested Area: Main 1953 SQ TO Upper		1953 5077	
Unfinished Area	Carport	Garage 392	(ALLEST)	
No. Stories Height	QTT No. Units	1	Total Area	
Sewage: © Public □ Septic Tank	Georgia Power	Cooling: Heating: Gas Gas Electric Gas	Fireplace:	
	da siding and fin	Estimated Construction Cost	\$ 120,000 1/-	
Land Owner Hario Z Roar	iguel march Ord	Contractor	\$ 120,000 1/-	
Address H Bay C-	,	Address		
city Riverdale	State GA Zip 30296	City	itate Zip	
MED	10ther(404) 931-7240	Telephone //	Other	
Thereby certify that the above permitted structure shall be built in accordance with the 1993 Georgia State Energy Code for Buildings. I hereby certify that I have read and examined this application and know the same to be true and correct. All provisions of laws and ordinances governing this of any state or local law regulating construction or the performance of construction. Date 12/11/2023 Printed Name: NOTICE: Separate permits are required for electrical, plumbing, heating, ventilation, air conditioning or prefab fireplaces. This permit becomes null and void if work authorized is not commenced within six (6) months or if work is suspended or abandoned for a period of Do not complete the following — Office Use Only TEMPORARY POLE (8) \$30.00				
Discrete X .0	35 =	Fireplace (#) Garbage Disposal Low Voltage (Mini	mum) × 50.00 =	
F/P: Yes No Approve	d by: Input by:			
Issued by:	Payment Amt:	Permit Cost: C.O. Fe	e Total Fee	

Check

Payment Type Cash



,4

CITY OF JONESBORO

124 North Avenue Jonesboro, GA 30236 www.jonesboroga.com

BUILDING PERMIT APPLICATION SCOPE OF WORK

A STATE OF THE PARTY OF THE PAR			The state of the			
Name: Ho	IVIO Z Roding	gue Z	Dat	te: 01/2	5/2024	Control Distriction
Address: 13	11 South av	re don	esbore	GA	30236	
Rooms work is to Basement Kitchen Bathroom Master Bath		☐ Living Ro ☐ Master Be ☐ Bedroom ☐ Bedroom	edroom 1		☐ Bedroom 3 ☐ Bedroom 4 ☐ Exterior ☐ Other ♥ ୧৬ ৫	avanta ()
☐ Installing sm ☐ Installing ne ☐ Installing ne ☐ Installing ne	rade of electric service noke detectors	ove	□ Ac □ Ins □ Ne	Iding or reloca stalling new A w chimney or	cing electric circuits ating receptacles or s	· · · · · · · · · · · · · · · · · · ·
☐ Replacing de ☐ New attached ☐ New pool, sp ☐ Installing or n	rage, carport, or storage eck, porch, stairs or railin d garage or carport a or hot tub elocating non-load beari repairing damaged:	g ng walls	☐ Alte	ering or relocate talling new drawtalling sunrocate talling sunroc	on Struction	valls //doors
☐ Installing new ☐ Replacing exis ☐ Installing or re	eplacing water heater water or DWV piping sting water or DVW pipir placing backflow device	ng	□ Inst	alling of Ledia	ng plumbing fixtures cing gas piping mbing fixtures np pump	l .
Additional Informa	tion					
- PAA						



Lowe's Custom Order Quote

Quote # 202776595

Quote Name: Mario windows Date Printed: 12/24/2023

Customer: MARIO RODRIGUEZ

Email: mariordgz76@gmail.com

Address: 41 BAY CT

RIVERDALE, GA 30296


Phone: (404) 557-1827 Store: (686) LOWE'S OF FAYETTEVILLE, GA.

Associate: RANDALL BISHOP (983589)

1030 N GLYNN ST Address:

FAYETTEVILLE, GA 30214-1306

Phone: (678) 817-9119 Item Total: 15 **PreSavings Total:** \$9,107.49 **Freight Total:** \$0.00 **Labor Total:** \$0.00 Pre-Tax Total: \$9,107.49



Line# 100-1 **Item Summary**

Pella 250 Series | Single Hung | 35.5 X 59.5 |

Pella 250 Series | Single Hung | 35.5 X 59.5 | Almond

CITY OF JONESBORD

770-478-3800

Room Location: None Assigned





Pre-Tax Tota

\$5,883.10

Total Savings

0 AM				
OOCR				
OOCR CARD				

CONVENTENCE FEE

Production Time

39 days

HANK YOU FOR VISITING

Now Price

\$588.31

Quantity

10

Was Price

\$588.31

CREDIT

TENDERED: APPLIED:

0.00

CHANGE:

PLAN REVIEW FEE

RAN: 28.0000

PERMIT#:

CONVENIENCE FEE

100-0000-34-9500

TRAN: 73,0000

ADDRESS: 121 south ave

00-000-34-1930

Begin Line 100 Description

---- Line 100-1 ----

A1: Unit: 36 || Frame: 35 1/2-in || RO: 36inUnit: 60 || Frame: 59 1/2-in || RO: 60-in Single Hung

Equal. Frame Size: 35 1/2 X 59 1/2. Pella 250 Series Series. No Dry Wall Pass Through

South Central Climate Zone 3 Standard Vinyl Nail Fin

Foam Insulated

3 1/4"

1 1/8"

2 1/8". Almond. Almond. Glass: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude. Cam-Action

Almond

No Limited Opening Hardware. Half Screen InView™. Combination U-Factor 0.27

U-Factor 0.27

Combination SHGC 0.2

SHGC 0.20 VLT 0.46

CPD PEL-N-208-00284-00002

Satisfied Energy Star Zones South

Central, Southern

Yes

Performance Class R

PG 35

Calculated Positive DP Rating 35

Calculated Negative DP Rating 35

Year Rated 08-11

Clear Opening Width 31.25

Clear Opening Height 24.214

Clear Opening Area 5.254774 Egress Meets Typical for ground floor 5.0 sqft

(E1) (United States Only).

Remake: No

In-Store Pick-up

EΑ

12/18/2023

False

True

877-473-5527

39 Days. 943055

WTS Pella 250 Window. 103848.

Grille: GBG

No Custom Grille

3/4" Contour

Traditional (2W2H / 0W0H)


Almond Almond

Wrapping Information: Factory Applied

Pella Recommended Clearance

Perimeter Length = 190".

End Line 100 Description



Pella 250 Series | Single Hung | 23.5 X 35.5 |

Almond

Room Location: None Assigned

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Tota
200-1	Pella 250 Series Single Hung 23.5 X 35.5 Almond	39 days	\$588.31	\$588.31	1		\$588.31

Begin Line 200 Description

---- Line 200-1 ----

A1: Unit: 24 || Frame: 23 1/2-in || RO: 24inUnit: 36 || Frame: 35 1/2-in || RO: 36-in Single Hung

Equal. Frame Size: 23 1/2 X 35 1/2. Pella 250 Series Series. No Dry Wall Pass Through

South Central Climate Zone 3 Standard Vinyl Nail Fin Foam Insulated

3 1/4" 1 1/8"

2 1/8". Almond. Almond. Glass: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude. Cam-Action

Almond

No Limited Opening Hardware. Half Screen

InView™. Combination U-Factor 0.27

U-Factor 0.27

Combination SHGC 0.2

SHGC 0.20 VLT 0.46

CPD PEL-N-208-00284-00002 Satisfied Energy Star Zones South

Central,Southern

Yes

Performance Class R

PG 35

Calculated Positive DP Rating 35 Calculated Negative DP Rating 35

Year Rated 08-11

Clear Opening Width 19.25 Clear Opening Height 12.214

Clear Opening Area 1.632774

Egress Does not meet typical United States

but may comply with local code requirements.

Remake: No

In-Store Pick-up

EΑ

12/18/2023

False True

877-473-5527

39 Days. 943055

WTS Pella 250 Window. 103848.

Grille: GBG No Custom Grille 3/4" Contour

Traditional (2W2H / 0W0H)


Almond Almond

Wrapping Information: Factory Applied

Pella Recommended Clearance

Perimeter Length = 118".

End Line 200 Description



Pella 250 Series | Single Hung | 31.5 X 35.5 |

Almond

Room Location: None Assigned

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Tota
300-1	Pella 250 Series Single Hung 31.5 X 35.5 Almond	39 days	\$588.31	\$588.31	2		\$1,176.62

Begin Line 300 Description

---- Line 300-1 ----

A1: Unit: 32 || Frame: 31 1/2-in || RO: 32inUnit: 36 | Frame: 35 1/2-in | RO: 36-in Single Hung

Equal. Frame Size: 31 1/2 X 35 1/2. Pella 250

Series Series. No Dry Wall Pass Through South Central

Climate Zone 3

Standard Vinyl Nail Fin

Foam Insulated

3 1/4"

1 1/8"

2 1/8". Almond. Almond. Glass: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude. Cam-Action

Almond

No Limited Opening Hardware. Half Screen

InView™. Combination U-Factor 0.27

U-Factor 0.27

Combination SHGC 0.2

SHGC 0.20 VLT 0.46

CPD PEL-N-208-00284-00002

Satisfied Energy Star Zones South

Central, Southern

Yes

Performance Class R

PG 35

Calculated Positive DP Rating 35 Calculated Negative DP Rating 35

Year Rated 08-11

Clear Opening Width 27.25 Clear Opening Height 12.214

Clear Opening Area 2.31133

Egress Does not meet typical United States

but may comply with local code requirements.

Remake: No

In-Store Pick-up

EA

12/18/2023

False

True

877-473-5527

39 Days. 943055

WTS Pella 250 Window. 103848.

Grille: GBG No Custom Grille 3/4" Contour

Traditional (2W2H / 0W0H)

Almond Almond

Wrapping Information: Factory Applied

Pella Recommended Clearance

Perimeter Length = 134".

End Line 300 Description

Pella 250 Series | Direct Set | Fixed Frame |

59.5 X 13.5 | Almond

Room Location: None Assigned





Line#	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Tota
400-1	Pella 250 Series Direct Set Fixed Frame 59.5 X 13.5 Almond	39 days	\$729.73	\$729.73	2		\$1,459.46

Begin Line 400 Description

---- Line 400-1 ----

A1: Unit: 60 Frame: 59 1/2-in RO: 60-
inUnit: 14 Frame: 13 1/2-in RO: 14-in
Fixed Frame Direct Set. Frame Size: 59 1/2 X 13
1/2. Pella 250 Series Series. South Central
Climate Zone 3

Standard Vinyl Nail Fin

Foam Insulated

3 1/4" 1 1/8"

2 1/8". Almond. Almond. Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude.

Combination U-Factor 0.27

U-Factor 0.27

Combination SHGC 0.21

SHGC 0.21 VLT 0.48

CPD PEL-N-209-00312-00001 Satisfied Energy Star Zones South

Central, Southern

Yes

Performance Class CW

PG 50

Calculated Positive DP Rating 50 Calculated Negative DP Rating 50

Year Rated 08-11.

In-Store Pick-up
EA
12/18/2023
False
True
877-473-5527
. 39 Days. 943055
WTS Pella 250 Window. 103848.
Grille: GBG
No Custom Grille
3/4" Contour
Traditional (4W1H)
Almond
Almond

Remake: No

Wrapping Information: Factory Applied Pella Recommended Clearance Perimeter Length = 146".

End Line 400 Description

cepted by:	Date: 12/24/2023	Pre-Tax Total	\$9,107.49

This quote is an estimate only and valid for 30 days on all regularly priced items. For promotional items please refer to the dates listed above. This estimate does not include tax or delivery charges. Estimated arrival will be determined at the time of purchase. All of the above quantities, dimensions, specifications and accessories have been verified and accepted by the customer.

**** Special order configured products returned or canceled after 72 hours from purchase are subject to a 20% restocking fee. ****

121 South Avenue 05 241D E027



Photo 2004

Ownership Record:

Charles Murphy



City of Jonesboro

124 North Avenue Jonesboro, GA 30236 (770) 478-3800 ● Fax (770) 478-3775

Building Permit Application

Minimum Fee \$50.00

BL#	County Clayton
Date	1-30-10
Permit No.	NIA

Application is hereby made according to the laws and ordinances of Jonesboro for a permit to erect, alter, and/or use a structure as described herein or shown in accompanying plans and specifications, to be located as shown on plot plan and, if granted, will conform to all laws and ordinances regulating same.

Address 121 S		Project/Subdivision:							
City Jonesbore, State GA Zip 36236					LL:	District: Zoning:		Zoning:	
Lot F: Dimensions	D:	R:		Acres:	Lot:	Block:		Plan#	
Purpose of Permit: ☐ New ☐ Addition ☐ Demolition - Repair ☐ Remodel					Describe Use of Construction				Size of Structure
Structure Type: Residential (1, 2, 3, Sign-Attached	trial ming Pool	□ Apartment □ Fee Simple □ Condo □ Storage Bldg. □ Other							
Foundation: □ Slab © Crawl S □ Basem	i ted Area: Iain <u>/50</u>	s'	Jpper	Lower Other				Total <u>/500</u>	
Unfinished Area		Carport			Garage -,			Total Area	
No. Stories	Height 2	0	No. Units / '		No. Rooms	7 No. Bed		ooms 2	No. Baths 2
Sewäge: Public Septic Tan		Georgia Power		Cooling: □ Gas Œ Elect	1	Heating: □ Gas ଭ Electric		Fireplace: □ Prefab ■ Masonry	
Exterior Finish Material Wood					Estimated Construction Cost 45,000				
Land Owner Charles & Marshy					Contractor A. Charles E. Mur 7 Ly				
Address / 21 Sport Ace					Address				
City Junesburg State G.			Zip 3	0236	City State			State	Zip
Telephone 4/54-368-48 24 /Other					Telephone /Other				
I hereby certify that the above permitted structure shall be built in accordance with the 1992 Georgia State Energy Code for Buildings. This code regulates the design, erection, construction, alteration and renovation of buildings. Compliance is mandatory. I hereby certify that I have read and examined this application and know the same to be true and correct. All provisions of laws and ordinances governing this type of work will be complied with whether specified herein or not. The granting of a permit does not presume to give authority to violate or cancel the provisions									
of any state or local law regulating construction or the performance of construction.									
NOTICE: Separate permits are required for electrical, plumbing, heating, vertilation, air conditioning or prefab firer aces. This permit becomes null and void if work authorized is not commenced within six (6) months or if work is suspended or abandoned for a period of six months at anytime after it is begun. Proper permits must be obtained before work is begun or fees shall be doubled.									
Do not complete the following - Office Use Only									
Building - Sq. Pt. Electrical Planting HVAC 88COI 8	x .0			Y POLE (#)			ce (#) e disposal oltage (Min	(#)	× 28.25 = × 12.50 = × 60.00 =
F/P: T Yes T No	Approved by		input l	A STATE OF THE PARTY OF THE PAR	Permit Cost		C.O. Fe		Total Fee: 50
lasted by: POLT	Dennest	syment /	Arnt:		Payme	nt Type	: Cesh	57 Chec	



MEMORANDUM

To: Mario Rodriguez

121 South Avenue Jonesboro, Ga. 30236

From: David D. Allen

City of Jonesboro 1859 City Center Way Jonesboro, GA 30236

Date: February 9, 2024

Re: Notification of Request for Historic Preservation Commission – New Home, 121

South Avenue, Parcel No. 05241D E027

Dear Applicant,

This letter is to serve as notification that the City of Jonesboro, Historic Preservation Commission, has accepted your request for a review of a new home located at 121 South Avenue, Jonesboro, Georgia 30236.

A hearing has been scheduled for Monday, February 19, 2024 at 5:30 pm before the Historic Preservation Commission at 1859 City Center Way, Jonesboro to consider the request as described above. You are invited to attend if you wish. If you are unable to be a part of the meeting, then you will be informed of the recommendation on the following day.

Sincerely,

David D. Allen

Community Development Director / Zoning Administrator